


FIG. 1



Purification Result for Endo- β -N-acetylglucosaminidase (15-25% gradient SDS-PAGE)


Lane 1: Purified endo- β -N-acetylglucosaminidase from *Mucor hiemalis*

Lane 2: Molecular weight markers

FIG. 2



Novel endo- β -N-acetylglucosaminidase gene



Restriction enzyme map for pZL-Endo including the full-length novel endo- β -N-acetylglucosaminidase gene.

FIG. 3



10 GTCGACCCAC	20 : OCCTCCOCCC	30 ACGCGTGGGG	40 GGACGCGTGG	50 GCGGACGCGT	60 GGGTTTTATT
70 TTACATAAAT	80 ATGCCTTCAC	90 TTCAATTGCA	100 ACCTGATGAC	110 AAACTAGCAC	120
130		150	160	170	180
190	200	210	220	230	.240
250	GTGGCACTAC 260	270	280	290	300
	ATGGCAGGAG	GATATAAAGA	AGATAAAAAT	ATTCAAGGAA	ACAATTATAA
	AAÇATTCAAT	ATTGGCATTT	AGCTGATACT	TITGTATATT	TCTCTCATGA
GCGAGTTAGC	380 ATTCCTCCAG	TCAATTGGAC	AAATGCTTGT	CATAGAAATG	GTGTAAAGTG
430 TTTAGGTACT	440 TTTTTAGTAG	450 AAGGAAATAA	460 CCAAATGCAT	470 GAAATGGAAG	480 CCTTGCTTCA
490 CGGTCCACCT	500 TTACTTAATA	510 ACACTGACGA	520 CCCTATGAGA	530 TTATGGAGTC	540 CGTATTATGC
550		570	580	. 590	600
610		630	640	650	660
670	680	690	700	710	720
	TTTAAGGAAA 740				
CGACAGCATG	ACAAATGAAG 800	GAGAAATCCA	CTGGCAGAAC	CAGCTCACAT	GGAAAAATGA
GTTATTTTTT	AAAAACACGG	ATGGTATTTT	TTTGAATTAT	TGGTGGAAAA	AAGAATACCC
TGAAATGGCG	860 CGTAGAGTAG	CIGAAGGAAT	AGGTAGATCA	GGTTTAGAAG	TTTATTTTGG
910 TACAGATGIA	920 TGGGGAAGGC	930 ATACTTATGG	940 TGGCGGTGGT	950 TTCAAATCAT	960 ATAAGGGTGT
970 AAAAACTGCC	980 TACTCTGCAA	990 TGACATCTTC	1000 TGCATTATTT	1010 GGTATGGCAT	1020 GGACATACGA
1030 GCATTICGAA	1040 AAGTCTGAAT	1050 TTGAAAAGAT	1060 GGATCGITIG	1070 TITTGGTGTG	1080 GTGGTAAATA
1090	1100 CCTCCCCCAC	1110	1120	1130	1140
1150	1160	1170	1180	1190	1200
TGATAGTGAA 1210	1220	1230	1240	1250	1260
TATICCIGIA	CCAGGAACAG 1280	ATTOGTTTGT	TACCAATTTT	GATAGGGGGT	TTGGAAATAG
GTTTTATTAT	AGAGGAAAGA	GATTACTTTC	TCAGCCTTGG	TCCCATTTAT	CGCATCAAGC
TATTCTCCCC	1340 AATAAAAGCT	ATCGAAATCC	1360 AGAGATTTAT	1370 CCCACTGATC	1380 AAAACATTAA

Entire nucleotide sequence of the fragment inserted into the Sal I-Not I sites of pZL-Endo including the full-length novel endo- β -N-acetylglucosaminidase gene.

FIG. 4



r							•
	139	0	1400	141	0 . 142	0 143	0 1440
7	VATCACTAG	T TCTCTC	GATT	GCGATCATC	C VCCALALALACA	0 CCCCC22CC	0 1440 F CGCTTATTAT
					o mocifici	I GOIGGAACC	I CGCTTATTAT
	145	0	1460	147	0 149	0 1404	1500
C	ZAAAGGCCA	A CGTTTC	AATC	ATAGAGAATI	מיבערעבטערעבט	U CAAACTCAA	1500 A TTAGTATACC
	151	0 :	1520	1536	154	1 1 5 6	1560
T	CTGTATAA	G CTTTCA	TTAG	ATGCTAGTA	A ACCATICATO	T220	1560 TTTAȚAGAAC
				·	, vogviecic	A TIGCGITATA	I TITAŢAGAAC
	157	0 :	1580	1590	1600	1.010	1620
T	TIGITGAT	G AAAGATY	TAA	AGTTGACAGT	מכרביתים מכרביתים	TOTO	1620 AAACAAACGA
	1630) 1	L640	1650	1660	1670	1680
C	TCAGTTAA:	TTCTTC	VAGG -	TATGGCAGCC	AGATGAAAA	7070 2070	1680 AATATGATGA
	1690) 1	L700	1710	1720	1730	1740
T	GGAATGAG?	A GCCACTO	ATT	CAACTGAAAA	TICTACCGAZ	AGCAGATGCT	1/40
	1750) 1	760	1770	1780	. 1790	1900
T	ACAACAGAZ	A GAAGATA	CAG	GAGAAAATGA	TTGGATAACA	1790 AAAACTATTA	TOOO
_	1810) 1	.820	1830	1840	1850	1860
Т	FICCAGAA	GGAAGTC	'AAT	TATACATTAC	AAGACTTGAA	1850 GTGAGCGTAG	ТАТТАСАТАС
	1870	1	.880	1890	1900	1910	1920
AC	<i>SCIGGITIA</i>	GIAGGIC	TIG	TTAATCAAGT	TATTGCTTGC	TIGGGATATA	TTAGCATCAT
3.0	793U	1	940	1950	1960	1970	1980
AL	-CAACTATA	AATICIG	GAA ?	TAAAAACAGA	TTCATCACGC	ATTATTCAGG	ATCTCTTTTG
	1990		000	224			
C	O COURSE &	2 2 2 7 2 7 2 7 2 7 2 7 2 7 2 7 2 7 2 7	~~~	2010	2020	2030	2040
-		WWININ	CCA	AAATCGGAAA	AGAAAGTTTA	GACGACATAG	CTCAAGAAGA
AG	TTY ATAGA	TATTATTATT	000 200 c	2070	2080	2090	2100
		INI INI G	JAA C	-WIIGHWCIG	GGAAAACACA	GCAAATGTAG	TAAACGCTTG
	2110	21	120	2170	21.40	2150	
GG	AGGAAATA	GATTACTZ	ACA A	منعنمنمنمندندن منعنمنمندندن	2140	GACGACTCTG	2160
				CGIIIIIA	CAMAGAAAGI'	GACGACTCTG	CAACTCGCAT
•	2170	21	180	2190	2200	2210	
CT	TTTTAGGA	ACAGCATT	CT G	TAATCAATT	יוי-ער פיויברניברער	GGTTTAGATA	2220
	2230	22	40	2250	2260	2270	
TA	AGCTACCA	AAGATAGT	TA T	TGAAGCTGT	TAACAAAGAA	GGATACATCT	228U
						contracted.	CIICMAGIGG
	2290	23	00	2310	2320	2330	2340
TAC	SCATAGAT	TIGICATI	'AA AG	CTAGGACTT	GAAATAAAAT	2330 ATTATGATAA	UPCS KKKKKKANA
							
.	2350	23	60	2370	2380	2390	2400
AA	AAAAAAA	ААААААА	AG G	GCGGCCGC.	• • • • • • • • • •		2200
							· · · · · · · · · · · · · · · · · · ·

Entire nucleotide sequence of the fragment inserted into the Sal I-Not I sites of pZL-Endo including the full-length novel endo- β -N-acetylglucosaminidase gene. (Continued)

FIG. 5



•																		
,	ΑΤC	· cc	י זכי		CAA	18 TTG		cci	27 GAT	GAC	C AA	30 A CTA	S A GCA	, cc1	45 GTI	i TCI	נינים י	54 1 GCA
	M	P	s	L	· Q	L	Q	P	D	D	к	L	A	P	v	s	P	A
	CTT	AAC	63 TCI		AAT	72 GAG		AGG	81 GAC	TGC	ACC	90 CC#) A GAC	GAA	99 AAG	ATA	. AAG	108
	L	ĸ	s	M	N	E	L	R	D	W	т	P	D	E	к	I	ĸ	F
	AAC	GIT	117 TCA		GIG	126 GCA	CTA	CAG	135 CCT	CGI	GIG	144 AAA	AAC	GCC	153 CTG	AAA	CCT	162 CAA
	N	V	S	S	V	A	L	Q	P	R	v	K	N	A	L	K	P	Q
	TTA	TIG	171 TTA		CAT	180 GAT	ATG	GCA	189 GGA	GGA	TAT	198 ' AAA	GAA	GAT	207 AAA	AAT	ATT	216 CAA
	L	L	L	T	Н	D	M	A	G	G	Y	K	E	D	K	N	I	Q
	GGA	AAC	225 AAT		AAA	234 GAC	ATT	TAT	243 AAC	ATT	CAA	252 TAT	TGG	CAT	261 TTA	GCT	GAT	270 ACT
	G	N	N	Y	K	ם	I	Y	N	. I	Q	Y	W	н	L	A	D	T
	TTT	GTA	279 TAT	TTC	TCT	288 CAT	GAG	CGA	297 GTT	AGC	ATT	306 CCT	CCA	GTC	315 AAT	TGG	ACA	324 AAT
	F	V	Y	F	s	H	E	R	V .,	S	1	P	P	v	N	W	T	N
	GCT	TGT	333 CAT	AGA	AAT	342 GCT	GTA	AAG	351 TGT	TTA	GGT	360 ACT	TTT	TTA	369 GIA	GAA	GGA.	378 AAT
	A	С	H	R	N	G	v	ĸ	С	L	G	T	F	L	v	E	G	N
	AAC	CAA	387 ATG	CAT	GAA	396 ·		GCC	405 TTG	CTT	CAC	414 GGT	CCA	CCT	423 TTA	СТТ	AAT	432 AAC
	N	Q	M	H	E	M	E	A	L	L	н	G	·P	P	L	L	N	N
	ACT	GAC	441 GAC	CCT	ATG	450 AGA	TTA		459 AGT	ccc	TAT	468 TAT	GCA	GAC	477 CAA	TTA	GTT	486 GCT
	T	D	Ð	P	M	R	L	W	s	P	Y	Y	A	D	Q	L	v	A
	ATT	GCT	495 AAA	CAC	TAT	504 GGT	TTT	GAT	513 GGC	TGG	TTG	522 TTC	AAT	ATT	531 GAA	TGC	GAA	540 TTC
	I	A	ĸ	н	Y .	G	F	D	G	W	L	F	N	I	E	С	E	F
	TTT 	CCT	549 TTT	CCT	ACA	558 AAT	CCA	AAA	567 TTC	AAA 	GCT	576 GAA	GAG	TTG	585 GCA	AAG	TTT	594 CTA
	F -	P	F	P	T	N	P	K	F	K	A	E	E	L	A	K	F	L
		TAT	603 TTT	AAG	GAA	612 AAA	TTG	CAT	621 AAC	GAA	ATA	630 CCT	GGA	TCT	639 CAA	CIC	ATT	648 TGG
	Н	Y	F	ĸ	E	ĸ	L	н	N	E	I	P	G	s	Q	L	I	W
	TAC	GAC	657 AGC	ATG		666 AAT (GAA	GGA (675 GAA .	ATC	CAC	684 TGG	CAG	AAC	693 CAG	CTC	ACA	702 TGG
	Y	D	s	M,	T	N	E	G	E	I	Н	W	Q	N	Q	L	T	W

Amino acid sequence deduced from the novel Endo- β -N-acetylglucosaminidase gene, and the nucleotide sequence of the DNA encoding this amino acid sequence.

FIG. 6




		711			720			729			738			747			756
AAA	AAT	GAG	TTA	TTT	TTT	AAA	AAC	ACG	GAT	CCT	ATT	TTT	TTG	AAT	TAT	TCC	TCC
К	N	E	L	F	F	K	N	т	D	G	1	F	L	N	Y	W	W
ААА	AAA	765 GAA	TAC	CCT	774 GAA	ATG	GCG	783 CGT	AGA	GTA	792 GCT	GAA	GGA	801 ATA	CCT	AGA	810 TCA
ĸ	ĸ	E	Y	P	E	М	A	R	R	v	A	E	G	I	G	R	s
GGT	тта	819 GAA	GTT	тат	828 TTT	GGT	ACA	837 GAT	GTA	TGG	846 GGA	AGG	САТ	855 ACT	тат	CGT	864 GGC
	L		v		 F		T		v		 G		н	т		G	G
		873			882			891			900			909			918
GGT	GCT	TIC	AAA	TCA	TAT	AAG	GGT	GTA	AAA	ACT	GCC	TAC	TCT	GCA	ATG	ACA	TCT
G	G	F	ĸ	s	Y	к	G	v	K	T	A	Y	s	A	M	T	S
TCT	GCA	927 TTA	TTT	CCT	936 ATG	. · GCA	TGG	945 ACA	TAC	GAG	954 CAT	TTC	GAA	963 AAG	TCT	GAA	972 TTT
							w				н	F	E	к	s		
5	A		F	G	M	A	W	_	I	_		F		L017	3	_	F
GAA	AAG	981 ATG	GAT	CGT	990 TTG	TTT	TGG	999 TGT	GGT		8001	TAC	-		TAT		1026 CCC
E	ĸ	M	D.	R	L	F	W	С	G	G	K	Y	S	D	Y	P	P
CCA		1035 CCT	AAA		CCA	GAT		LO53 GAA	AAA		L062 GTA	GAA	_	L071 GAT	GAT		LO80 GAA
P	P	P	к	N	P	D	D	E	ĸ	E	v	E	s	D	D	s	E
-						. –						_			_		
GAT		CTC	ATG		GGA	CAC		L107 AAA	CCT		GCT	GAC	_	GIA	GAA		L134 ATT
D	E	L	M	Y	G	H	K	K	G	I	Α	D	T	V	E	s	I
	1	L143		1	152		1	161		1	170		1	179		1	1188
CCT		CCA	GGA			TGG			ACC			GAT			TTT		
 P	v		G	т	D	w		v	т	N	F	D	 R	G			N
-	_		-			••			_			_			_		
AGG		1197 TAT	TAT		.206 GGA	AAG		TTA	CIT		CAG	CCT		TCC	CAT		TCG
 R	 F	 Y		 R	 G .	 К	 R	 L	 L		 Q	 P	 W		н		 s
	•	1251												207		4	L296
		L251		1	260		1	L269		1	L278		1	L28/			
CAT	_	GCT	ATT	_		AAT			TAT			CCA		L287 ATT	TAT		ACT
	CAA	GCT		CIC			AAA 	AGC		CGA	AAT		GAG	ATT			
CAT H	CAA Q	GCT A	ATT I	r CIC	P	AAT N	AAA K	AGC S	TAT Y	CGA R	AAT N	CCA P	GAG E	ATT I	TAT Y	P 	т
Н	CAA Q	GCT A L305	ī	CTC L	P 314	N	AAA K	AGC S	Y .	CGA R	AAT N	P	GAG E	ATT I I	Y	P :	 Т L350
H	Q CAA	A L305 AAC	I ATT	L AAA	P 1314 ATC	N ACT	AAA K AGT	AGC S L323 TCT	Y	CGA R GAT	N L332 TGC	P GAT	GAG E E CAT	ATT I I L341 GGA	Y	P	T L350 CTT
H	CAA Q CAA	A L305 AAC N	I ATT	L AAA	P 1314 ATC	N ACT	AAA K AGT	AGC S 1323 TCT S	Y	CGA R GAT	AAT N L332 TGC	P GAT	GAG E CAT H	I L341 GGA G	Y	P TTT	T L350 CTT L
H GAT	Q CAA Q	A L305 AAC N L359	I ATT	L AAA	P 1314 ATC 1	N ACT	AAA K AGT	AGC S 1323 TCT S	Y CIC	R GAT D	N L332 TGC C	P GAT D	GAG E CAT H	I I I341 GGA G	Y GCT A	P TTT	T L350 CTT L
H GAT	CAA Q CAA Q GGA	A L305 AAC N L359 ACC	I ATT I	L AAA K	P 1314 ATC I 1368 ATT	ACT T	AAA K AGT S	AGC S 1323 TCT S 1377 GGC	Y. CTC L CAA	CGA R GAT D	N L332 TGC C C L386 TTC	P GAT D	CAT CAT	I I I341 GGA G L395 AGA	Y GCT A GAA	P TTT F	T L350 CTT L L404 CAT
H GAT	CAA Q CAA Q GGA	A L305 AAC N L359	I ATT I	L AAA	P 1314 ATC I 1368 ATT	ACT T	AAA AGT S AAA K	AGC S L323 TCT S L377 GGC	Y. CTC L CAA	CGA R CAT D CGT	N L332 TGC C L386 TTC	P GAT D	CAT H CAT H CAT	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Y GCT A GAA E	TTT F	T L350 CTT L L404 CAT
H GAT D GGT G	CAA Q CAA Q GGA	A L305 AAC N L359 ACC	ATT I TCG	L AAA K CTT	P 314 ATC I 368 ATT I 1 422	ACT T	AAA K AGT S AAA K	AGC S 1323 TCT S 1377 GGC G	Y CTC L CAA	CGA R GAT D CGT R	N L332 TGC C L386 TTC F	P GAT D AAT	CAT CAT H	ATT I 1341 GGA G 1395 AGA R	Y GCT A GAA E	TTT F	T L350 CTT L L404 CAT H

Amino acid sequence deduced from the novel Endo- β -N-acetylglucosaminidase gene, and the nucleotide sequence of the DNA encoding this amino acid sequence. (Continued)

FIG. 7






Amino acid sequence deduced from the novel Endo- β -N-acetylglucosaminidase gene, and the nucleotide sequence of the DNA encoding this amino acid sequence. (Continued)

FIG. 8


Novel endo- β -N-acetylglucosaminidase gene



Structure of expression vector pGEndo-SC for the use in *Saccharomyces cerevisiae*, which comprises a novel endo- β -N-acetylglucosaminidase gene.

FIG. 9





Expression of endo- β -N-acetylglucosaminidase enzyme in yeast into which an endo- β -N-acetylglucosaminidase gene has been introduced.

Lanes 1-3: Cellular extract of S. cerevisiae YPH500 (pep4) into which an endo- β -N-acetylglucosaminidase gene has been introduced.

Lane 4: Purified endo- β -N-acetylglucosaminidase derived from M. hiemalis

Lane 5: Cellular extract of S. cerevisiae YPH500 (pep4)